

# Guide to AcuDose-Rx<sup>®</sup> Cabinets and Drawers

---



---

AcuDose-Rx<sup>®</sup> automated medication dispensing cabinets offer smart choices for medication storage, balancing safety, accessibility, and economy.

## Large Cabinets and Drawers

Each AcuDose-Rx main cabinet features up to 15 drawers with three security levels—the most on the market. AcuDose-Rx accommodates more secure line items than any other cabinet. Plus, you get added flexibility with the widest variety of drawer sizes and storage pockets available. McKesson's cabinet specialists specify each storage location with you to optimize your medication storage.

Stay in control with multiple levels of security for drawers that are engineered to last. At the same time, flexible options and multiple configurations help you balance nurse workflow and inventory levels.



### Large Main Cabinets

**Dimensions:**

- Height to top of monitor: 57"
- Cabinet height: 48.5"
- Width: 24.5"
- Depth: 29"  
(55.5" with drawer fully extended)

**Weight (empty):**

- 650-1,050 lbs., depending on drawer configurations

**Heat dissipation:**

- Continuous: 750 BTU/hr.
- Peak: 1,350 BTU/hr.

**Electrical Power:**

- Standard AC outlet (110v). Uninterrupted power supply and line surge protection are standard.



### Large Auxiliary Cabinets

**Dimensions:**

- Height: 48.5"
- Width: 24.5"
- Depth: 29"  
(55.5" with drawer fully extended)

**Weight (empty):**

- 600-1,000 lbs., depending on drawer configurations

**Heat Dissipation:**

- Continuous: 375 BTU/hr.
- Peak: 750 BTU/hr.

**Electrical Power:**

- Standard AC outlet (110v). Line surge protection is standard.

## Highest Security

### Unit Dose Dispensing Drawers



Specially designed for the highest security, these drawers limit access to a single medication dose at a time, with no end-of-shift drug counting required.

#### Pocket Dimensions:

##### Single-wide trays

1-pocket
2-pocket
4-pocket
6-pocket
12-pocket

##### Double-wide trays

1-pocket
2-pocket
4-pocket
6-pocket
12-pocket


##### Single-wide trays

2" W x 16" L x 0.9" H
2" W x 7.9" L x 0.9" H
2" W x 3.85" L x 0.9" H
2" W x 2.5" L x 0.9" H
2" W x 1.15" L x 0.9" H

##### Double-wide trays

5.7" W x 16" L x 0.9" H
5.7" W x 7.9" L x 0.9" H
5.7" W x 3.85" L x 0.9" H
5.7" W x 2.5" L x 0.9" H
5.7" W x 1.15" L x 0.9" H

### Locked Lidded Drawers



Featuring locked, opaque lids that allow users to see only those drugs they are permitted to access, these drawers are ideal for securing large and odd-form items. During dispense and restock, only the selected storage pocket can be accessed.

#### Pocket Dimensions for Large Main & Auxiliary Cabinets:

Single-wide pocket
Double-wide pocket
Optional return bin opening

5.45" W x 4.4" L x 3.08" H
11.9" W x 4.4" L x 3.08" H
6" W x 1.75" L x 1.5" H

### High Capacity Locking Drawers



The most popular drawers to hold secured items, High Capacity Locking Drawers are perfect for storing small quantities of many line items. Users can only access authorized meds, and are guided to the correct storage location by vivid indicators.

#### Pocket Dimensions:

Single-wide, single-length
Single-wide, double-length
Double-wide, double-length

3.2" W x 2.35" L x 1.65" H
3.2" W x 6.05" L x 1.65" H
6.65" W x 6.05" L x 1.65" H



#### Security Feature

*When the pocket lid is unlocked, the green indicator guides the user to the correct medication.*

## Medium Security

### High Capacity Detecting Drawers



Detecting drawers are an affordable, practical option in situations where regulatory bodies discourage the use of Open Matrix Drawers. Balancing both security and accessibility in a compact space, these lidded drawers prevent medications from “spilling” into the wrong compartment. Visual warnings alert users when the wrong pocket is accessed, and all actions are recorded.



*When using High Capacity Detecting Drawers, an advisory screen prompts the user when an incorrect pocket is opened.*

#### Pocket Dimensions:

Single-wide, single-length  
 Single-wide, double-length  
 Double-wide, double-length

3.2" W x 2.35" L x 1.65" H  
 3.2" W x 6.05" L x 1.65" H  
 6.65" W x 6.05" L x 1.65" H

## Minimum Security

### High Capacity Open Drawers



With high accessibility and interchangeable storage bins, these drawers are perfect for fast-moving medications in low security environments.

#### The inserts accommodate varying pocket sizes:

2 pocket  
 6 pocket  
 16 pocket  
 25 pocket

8.52" W x 4.91" L x 1.75" H  
 2.60" W x 4.91" L x 1.75" H  
 2.28" W x 1.86" L x 1.75" H  
 1.75" W x 1.42" L x 1.75" H

### Open Drawers

Open Drawers come in two heights. Removable dividers (tall drawers) or interchangeable inserts (standard-height drawers) provide maximum storage flexibility. An optional large return bin can be located in the front half of the Tall Matrix Drawer.



#### Tall Matrix Drawer for Large Main and Auxiliary Cabinets

- Row dividers are easily removable to create larger, custom pockets
- Up to 24 pockets, each measuring 2.75" W x 4.75" L x 8" H
- Optional return bin opening: 12.5" W x 1.75" L x 2.5" H

#### Open Drawer for Large Main and Auxiliary Cabinets

##### Interchangeable Liners

1-pocket liner  
 2-pocket liner  
 4-pocket liner  
 6-pocket liner  
 12-pocket liner

9.75" W x 8.75" L x 2.5" H  
 4.63" W x 8.75" L x 2.5" H  
 4.75" W x 4.13" L x 2.5" H  
 3" W x 4.13" L x 2.5" H  
 2.25" W x 2.75" L x 2.5" H



**Eight Full Drawer Slots  
for Greatest Line-Item Capacity**



## Small Cabinets and Drawers



### Small Main Cabinets

**Dimensions** (with monitor and keyboard as shown):

- Height to top of monitor: 29.5"
- Width: 24.5"
- Depth: 23.5" (44.5" with drawer fully extended)
- Weight (empty): 178-263 lbs., depending on drawer configurations
- Computer control module:
  - 18" H x 8.5" W x 21" D
  - Weight: 75 lbs.

### Heat Dissipation:

- Continuous: 750 BTU/hr.
- Peak: 1,125 BTU/hr.

### Electrical Power:

- Standard AC outlet (110v). Uninterrupted power supply and line surge protection are standard.



### Small Auxiliary Cabinets

### Dimensions:

- Height: 17.5"
- Width: 24.5"
- Depth: 23.5" (44.5" with drawer fully extended)

### Weight (empty):

- 160-245 lbs., depending on drawer configurations

### Heat Dissipation:

- Continuous: 375 BTU/hr.
- Peak: 750 BTU/hr.

### Electrical Power:

- Received from an AcuDose-Rx Small Main Cabinet.

---

## Highest Security



### Locked Lidded Drawers

For Small Main Cabinets, drawers can be configured with 9-pockets, 6-pockets, or 5-pockets with return bin.

#### Pocket Dimensions:

Single-wide pocket	5.45" W x 4.4" L x 3.08" H
Double-wide pocket	11.9" W x 4.4" L x 3.08" H
Optional return bin opening	6" W x 1.75" L x 1.5" H



### High Capacity Locking Drawers

Small Main Cabinets and Small Auxiliary Cabinets can hold up to four High Capacity Locking Drawers with multiple configuration options.

#### Pocket Dimensions:

Single-wide, single-length	3.2" W x 2.35" L x 1.65" H
Single-wide, double-length	3.2" W x 6.05" L x 1.65" H
Double-wide, double-length	6.65" W x 6.05" L x 1.65" H



---

## Minimum Security

### Open Drawers

Standard Open Drawers are available with removable dividers to provide maximum storage flexibility.

#### Matrix Drawer for Small Main and Auxiliary Cabinets

- Row dividers are easily removable to create larger, custom pockets
- Up to 18 pockets, each measuring 2.75" W x 4.63" L x 3.25" H





### Medication Tower

The tower contains up to 12 shelves accessible through four individually locked doors. The large compartment accommodates a small refrigerator\*. LED rope lights line the tower for improved visibility.

\* Refrigerator not included.

#### Dimensions:

- External Tower: 78.25" H x 24.3" W x 27" D
- Top Three Compartments (each): 12.5" H x 19" W x 25" D
- Bottom Compartment: 25.1" H x 19" W x 25" D (with extra cooling)\*

#### Weight (empty):

- 420 lbs.

#### Heat Dissipation:

- Continuous: 375 BTU/hr.
- Peak: 750 BTU/hr.

#### Electrical Power:

- Standard AC outlet (110v). Line surge protection is standard.

## MCKESSON

### McKesson Automation Solutions

500 Cranberry Woods Drive  
Cranberry Township, PA 16066  
www.mckesson.com  
(724) 741-8000

Copyright © 2011 McKesson Corporation and/or one of its subsidiaries. McKesson Corporation product and service names listed herein which bear the ® and ™ symbols are registered with the U.S. Patent and Trademark Office. All other product and service names are protected by non-registered trademarks or service marks, respectively.

AUTO236\_9/11